


TOPKIT MD 285 A



HD



HDT



GTMR



CITY CRANE



TOPKIT MD



MR



MAXI MD




MAXI TOPKIT




FEM 1.001-A3





ZD 46 A



LPR 1



Voir télescopage sur dalles
Réactions en service
Réactions hors service
A vide sans lest avec flèche et hauteur maximum.



See climbing crane
Reactions in service
Reactions out of service
Without load and ballast with longest jib and maximum height.



Consultare gru in cavedio
Reazioni in servizio
Reazioni fuori servizio
A vuoto senza zavorra e con braccio massimo e altezza massima.



Siehe Kletterkrane im Gebäude
Reaktionskräfte in Betrieb
Reaktionskräfte außer Betrieb
Ohne Last und Ballast mit Maximalausleger und Maximalhöhe.





Vea grua trepadora
Reacciones en servicio
Reacciones fuera de servicio
Sin carga, sin lastre con flecha y altura máxima.





见楼板顶升
工作状态下的反应
非工作状态下的反应
空载, 无配重, 起重臂和高度均为最大值





LPR 1

B 60 A



LPR 1

A Distance entre cadres
H1 Hauteur grue
P Poids de la grue (en service)
R Réaction horizontale

F Distance between collars
Crane height
Crane weight (in service)
Horizontal reaction

GB Distanza fra i telai
I Altezza gru
Peso della gru (in servizio)
Reazione orizzontale

A Abstand zwischen den Rahmen
H1 Kranhöhe
P Krangewicht (in Betrieb)
R Horizontalkräfte

D Distancia entra marcos
Altura grúa
Peso de la grúa (en servicio)
Reaccion horizontal

E 各附着框之间距离
C 工作状态下塔机高度
工作状态下塔机重量
水平反力

Lest de contre-flèche
Gegenauslegerballast



Counter-jib ballast
Lastre de contra flecha



Contrappeso
平衡臂重



LPR 1

	4 600 - 4 200 - 3 400 - 2 300 kg		4 200 - 700 kg		
	55/70 RCS - 50/75 LVF			RCS - LVF	120 LCC
		(kg)		(kg)	
70 m	18 m	27 600	18 m	26 600	25 900
65 m	18 m	24 900	18 m	24 500	23 100
60 m	18 m	23 000	18 m	23 100	21 700
55 m	18 m	22 600	18 m	22 400	21 000
50 m	18 m	20 700	18 m	21 000	18 900
45 m	18 m	18 000	18 m	18 200	16 100
40 m	18 m	16 100	18 m	16 100	14 000
35 m	12 m	27 600	12 m	26 600	25 900
30 m	12 m	20 700	12 m	21 000	18 900

Lest de base
Grundballast



Base ballast
Lastre de base



Zavorra di base
压重



LPR 1

	2 m	V 60 A	H (m)	69,3	66	61	56	51	46	41	36	31	26	21	16
			(t)	108	96	72	60	60	60	60	48	48	48	48	48
	2 m	ZD 46 A	H (m)	50,6	47,3	42,3	37,3	32,3	27,3	22,3	17,3	12,3			
			(t)	90	90	90	90	90	90	90	90	90			

Ancrages
Verankerungen




Anchorage
Anclaje



Ancoraggio
附着



LPR 1



LPR 1

Printed in France	Modifications réservées	Änderungen vorbehalten	Subject to modification	Modifiche riservate	修改权在我方
-------------------	-------------------------	------------------------	-------------------------	---------------------	--------